


PLANTING GROWING MEDIUM,  
1000MM IN DEPTH IN TREE WELLS  
ONLY

PERIMETER TRENCH WIDTH VARIES  
(SEE PLAN DRAWINGS)



100MM PERFORATED PVC AIR VENT  
W/CUSTOM SQUARE CAST  
ALUMINUM CAP/CLEAN OUT (2 PER  
TREE). OFFSET CAPS 1500MM  
FROM TREE TRUNK. THIS DETAIL TO  
BE USED IF TREE IS INSTALLED IN  
HARD SURFACE AREA

NOTE:

- 1) PERCOLATION RATE OF PAVING AREA TO BE CONFIRMED PRIOR TO INSTALLATION OF STRUCTURAL GROWING MEDIUM. SUBSURFACE DRAINAGE IN STRUCTURAL GM TRENCHING MAY BE REQUIRED.
- 2) CUSTOM VENT CAP SUPPLIER IS ACHINBACK INDUSTRIES & FOUNDRY, LANGFORD. TEL - 474.0037



**MUNICIPALITY OF CENTRAL SAANICH**

TITLE:	STRUCTURAL GROWING MEDIUM DETAIL	STD.DWG.NO. WS 507
APPROVED:	DATE: NOVEMBER 2007	SCALE: N.T.S.
		REV.